

INDEX MAPS.

T. 34 N. R. 3 W. 2nd Mer.

		88		88		88		87		87		87	
90	6	108	5	103	4	100	3	96	2	94	1	86	
	108		108		102		100		96		93		
90	7	108	8	102	9	99	10	96	11	93	12	86	
	107		107		102		99		95 1/2		93		
90	18	106	17	104	16	99	15	95	14	93	13	86	
	106		106		101		98		95		92		
89	19	105	20	101	21	98	22	95	23	92	24	85	
	105		105		101		97		95		91		
89	30	105	29	101	28	97	27	95	26	91	25	85	
	104		104		101		97		94		91		
89	31	103	32	100	33	97	34	94	35	91	36	85	
	84		84		84		83		83		83		

Meanders-109

T. 35 N. R. 3 W. 2nd Mer.

	119	118	118	117								
122	6	148	5	140	4	135	3	130	2	126	1	117
	147	147	140	134	130	126						
121	7	146	8	139	9	134	10	130	11	125	12	117
	146	146	138	134	129	125						
121	18	145	17	138	16	133	15	129	14	124	13	116
	144	144	138	133	128	124						
120	19	144	20	137	21	132	22	128	23	124	24	116
	143	142	137	132	128	123						
120	30	142	29	136	28	132	27	127	26	123	25	116
	141	141	136	131	127	122						
120	31	140	32	135	33	131	34	127	35	122	36	116
	115	115	114	114	114	114						

Meanders-148

Township 35 North, Range 3 West, 2nd. Mer. Ind.^o

C. L. South Boundary. (Var. 5° 45' E.)
 West On the S. side of sec. 36,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears S 86° E 45 M.,
 & a W. Oak 6 " " " N 89° E 6 " "
 46.50 To a Brook 20 M. wide on South
 80.00 Set a post cor. to sec. 35 & 36. in mark
 water too deep to raise a mound
 Land mainly & 2nd rate. & timber Oak.

West On the S. side of sec. 35
 20.00 Leave mark
 40.00 Set the gr. sec. - cor. post from wh,
 a G. Oak 12 in. dia. bears S 21° W 39 M.,
 & a Do. 18 " " " " N 21° E 37 "
 55.90 To a G. Oak 18 " " in the line,
 80.00 At a post cor. to sec. 34 & 35 from which
 a W. Oak 20 in. dia. bears N 39° E 53 M. dia.
 & a Do. 18 " " " " N 21° W 38 " "
 Land is rolling & 2nd rate & the timber is
 Yellow & White Oak, & —

West On the S. side of sec. 34,
 25.65 To a W. Oak 12 in. dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears N 58° E 177 M.,
 & a Do. 18 " " " " West 179 "
 80.00 Set a post cor. to sec. 33 & 34 from wh,
 a G. Oak 18 in. dia. bears N 63° E 53 M. dia.
 & a W. Oak 10 " " " " N 79° W 38 " "
 Land &c. is much same as last mile,

West On the S. side of sec. 33,
 18.96 To a Hickory 10 in. dia. in the line,

T. 35 N. R. 3 W. 3rd New Ind.

- 61.50
40.00 Set the gr. sec. cor. post from which
a G. Oak 12 in. dia. bears N 49 E 10 1/2 lbs. dist.
& a Do. 9 " " " N 9 1/2 W 13 " "
- 60.60 To a W. Oak 10 " " in the line,
61.00 Enter a wet prairie
- 80.00 Set a post cor. to sec. 32 & 33 from wh.
a W. Oak 10 in. dia. bears N 47 W 18 1/2 lbs. dist.
& a Do. 12 " " " N 61 W 19 1/2 " "
Land &c. is same as on last mile,

- West On the S. side of Sec. 32,
5.00 Leave the wet prairie
- 18.21 To a W. Oak 10 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a G. Oak 14 in. dia. bears N 48 E 15 1/2 lbs. dist.
& a W. Oak 10 " " " N 74 W 57 " "
- 63.50 To a Brook 6 lbs. wide cross south
78.50 Enter wet prairie
- 80.00 Set a post cor. to sec. 31 & 32 from wh.
a G. Oak 2 in. dia. bears N 73 E 22 1/2 lbs.
& a W. Oak 18 " " " S 85 E 16 1/2 " "
Land &c. is same as on last mile,

- West On the S. side of Sec. 31,
29.00 Leave the wet prairie
- 40.00 Set the gr. sec. cor. post from which
a G. Oak 10 in. dia. bears N 6 1/2 W 22 lbs.
& a Do. 10 " " " N 87 E 40 "
- 63.00 Enter a wet prairie
- 81.75 To the W. boundary, 28 lbs. N. of post,
Set post for Lower corner
ground to be made -
Land &c. is much same as last
May, 26th 1834. (Var. 5:45'E.)

T. 35 N. R. 3 W. 2^d Mer. Ind.

C. L. Surveyed by Sylvester Sibley, D.S.

East Boundary, (Var, 7th 46th E.)
 Aspen 6 in. dia. bears S 82° W 413 lks. dist,
 & a G. Oak 18 " " " S 49° E W 10.25 " "
 North On the E. side of sec. 36 -
 40.00 Set the gr. sec. cor. post in prairie
 & water too deep to raise a mound.
 80.00 Set a post cor. to sec. 25 & 36 -
 water too deep to raise a mound
 Land flat & poor. L

North On the E. side of sec. 25.
 40.00 Set the gr. sec. cor. post, in
 water too deep to raise a mound
 80.00 Set a post cor. to sec. 13 & 24 from wh,
 a W. Oak 18 in. dia. bears S 84° W 48 lks.,
 & a Do. 9 " " " S 75° W 54 " "
 Land is flat & the soil is poor
 & it is wet prairie,

North On the E. side of sec. 24
 23.00 Leave the wet prairie
 40.00 Set the gr. sec. cor. post from wh,
 a W. Oak 22 in. dia. bears S 12° E 148 lks.,
 & a G. Oak 10 " " " S 47° W 208 " "
 80.00 Set a post cor. to sec. 13 & 24 from wh,
 a W. Oak 18 in. dia. bears S 55° W 45 lks. dist,
 & a Do. 18 " " " S 83° W 73 " "
 Land is rolling & the soil is fine & rate
 North part is wet prairie,

North On the E. side of sec. 13,
 23.87 To a W. Oak 15 in. dia. in the line,

T. 35 N. R. 3 W. 2^d. New. Ind.

C. L.
 40.00 Set the gr. pers. cor. post from which
 a W. Oak 18 in. dia. bears S 74° E 44 ft.,
 & a Do. 18 " " " S 39½° W 166 "
 80.00 Set a post cor. to sec. 12 & 13 from wh.
 a G. Oak 12 in. dia. bears N 37° W 258 ft.,
 & an Aspen 3 " " " N 61° W 108 "
 Land is rolling soil 1st rate & thim. Oak.

North
 40.00 On the E. side of sec. 12,
 Set the gr. pers. cor. post from wh.,
 a Br. Oak 6 in. dia. bears S 31° E 10 ft.,
 & a G. Oak 20 " " " S 80° W 369 "
 80.00 Set a post cor. to sec. 1 & 12 from wh.,
 a Br. Oak 12 in. dia. bears N 27° W 187 ft.,
 & a Do. 14 " " " S 37° W 260 "
 Land &c. is same as on last mile

North On the E. side of sec. 1.
 19.87 To a Br. Oak 10 in. dia. in the line,
 40.00 " " Br. Oak 6 in. dia. & pers. cor. to
 48.25 " a Do. 10 " " in the line,
 68.53 To the S. E. corner of T. 36 N. R. 3 W
 & corner of Michigan Road lands
 land level & 1st rate. (Var. 7.46, E.)
 January 24th 1834. Surveyed by
 Sylvester Sibley, Dep. Sur.

North Boundary (Var. 6° E.)
 From the S. W. cor. of sec. 35. Surveyed
 for the Michigan road, where found a
 post standing (having run the W & of sec.
 35 on S. side) & raised a mound - then
 West On the S. side of sec. 34 T. 36 N. R. 3 W
 9.00 Entered a pond

T. 35 N. R. 3 W. 2nd Mer. Ind. 5,

6. L.
14.00 Leave the pond
40.00 Set the gr. sec. post in a prairie
where raised a mound
80.00 Set a post cor. to sec. 33 & 34 in prairie
where raised a mound,
Land is rolling & 1st rate prairie

West On the S. side of sec. 33 & 36 N. R. 3 W
32.50 Leave the prairie
40.00 Set a gr. sec. cor. post from which
a Br. Oak 14 in dia. bears N 36 3/4 W 390 ft.,
Va. Do. 13 " " " N 31 5/8 E 211 "
51.78 To a W. Oak 30 " " in the line,
53.55 " " W. Oak 19 " " " " "
59.19 To a shallow lake or pond. set post,
a W. Oak 19 in dia. bears N 59 E 61 ft. Va. Do.
Va. Do. 15 " " " N 74 E 86 " "
80.00 set a post cor. to sec. 32 & 33 from which
no bearings - being in pond, inaccessible
Land on E 32 chs. similar West 48,
dry & part hard lemons. very thickly
timbered with wh. & Bl. Oak &c

West On the S. side of sec. 32 & 36 N. R. 3 W
9.00 Leave the Lake or pond. set post
a W. Oak 18 in dia. bears N 52 W 139 ft.,
Va. G. Oak 20 " " " N 78 1/2 W 158 "
This lake has grass growing all over it, water
not more than 3 ft. deep, & may go dry in
summer posts are set on it now
because sec. cor. is inaccessible, than
with a view to have it meandered,
15.45 To a Hickory 9 in dia. in the line
40.00 set a gr. sec. cor. post from which,

T. 35 N. R. 3 W. 2^d. New. Ind.

C. L.
 a G. Oak 17 in. dia. bearing N 58 $\frac{1}{2}$ E 76 lks.
 & a W. Oak 14 " " " N 71 $\frac{1}{2}$ W 80 " ditto
 57.00 To a Brook 15 lks. wide & Enter marsh
 63.50 Leave the marsh
 70.30 To a Hickory 13 in. dia. in the line
 80.00 Set a post cor. to sec. 31 & 32 from wh.
 a G. Oak 17 in. dia. bearing N 58 $\frac{1}{2}$ E 76 lks.
 & a W. Oak 14 " " " N 71 $\frac{1}{2}$ W 80 " ditto
 a Hickory 16 in. dia. bearing N 25 $\frac{1}{2}$ E 46 lks.
 & a Do. 16 " " " N 35 $\frac{1}{2}$ W 45 "
 Land dry rolling bearing good soil
 & thinly timbered with Hickory W & Y,
 Oak &c

Met On the S. side of sec. 31 T. 36 N. R. 3 W
 7.50 Enter a marsh,
 28.50 Leave the Do.
 37.89 To a G. Oak 19 in. dia. in the line
 40.00 Set the gr. sec. cor. post from wh.
 a G. Oak 18 in. dia. bearing N 71 E 82 lks.
 & a Do. 19 " " " N 25 $\frac{1}{2}$ W 96 "
 73.85 To the W. boundy. at end of 5. miles
 62 chs. & 7 lks. where set a post corner
 of Towns 35 & 36 N. Ranges 3 & 4 W -
 a Hickory 18 in. dia. bearing N 42 W 16 lks.
 & a Do. 14 " " " N 52 $\frac{1}{2}$ E 29 "
 Land &c is same as on last mile
 Var. 6 $\frac{1}{2}$ E. - Being the same as T $\frac{1}{2}$ of
 S. side of sec. 35 - Feby. 20th 1834 -
 note, Sec. 28 of this township is reserved
 for John B. Shadronak; his residence being
 near the Centre of said sections.
 Key Treaty of 26th Feby. 1832. -
 Surveyed in Feby. 1834. by Robt. Clark Jr.

T. 35 N. R. 3 W. 2nd, New Ind. 120

6.1
6.2
6.3
6.4
6.5
6.6
6.7
6.8
6.9
6.10
6.11
6.12
6.13
6.14
6.15
6.16
6.17
6.18
6.19
6.20
6.21
6.22
6.23
6.24
6.25
6.26
6.27
6.28
6.29
6.30
6.31
6.32
6.33
6.34
6.35
6.36
6.37
6.38
6.39
6.40
6.41
6.42
6.43
6.44
6.45
6.46
6.47
6.48
6.49
6.50
6.51
6.52
6.53
6.54
6.55
6.56
6.57
6.58
6.59
6.60
6.61
6.62
6.63
6.64
6.65
6.66
6.67
6.68
6.69
6.70
6.71
6.72
6.73
6.74
6.75
6.76
6.77
6.78
6.79
6.80
6.81
6.82
6.83
6.84
6.85
6.86
6.87
6.88
6.89
6.90
6.91
6.92
6.93
6.94
6.95
6.96
6.97
6.98
6.99
7.00

West Boundary: (Var. 7° 40' E.)
On the E. side of sec. 36 T 35 N R 4 W
Set the gr. sec. cor. post from which
a Pin Oak 8 in. dia. bears N 11½ W. 328 ft.,
& a Do. 9 " " " S 77½ E 212 "
Leave the marsh
Set a post cor. to secs. 25 & 36
a Br. Oak 7 in. dia. bears S 27 W 23 ft.,
& a Pin Oak 12 " " " N 43½ W 28 "
Land 1st mile marsh last 39.00 & into
soil thinly timbered with W. & P. Oak
Hickory, &c.

North On the E. side of sec. 25, T 35 N R 4 W
20.46 To an Indian trail cr. N.E.,
25.45 " a Yellow Oak 12 in. dia. in the line
40.00 Set the gr. sec. cor. post from which
a B. Oak 14 in. dia. bears S 3½ W 40 ft.,
& a W. Oak 15 " " " N 44½ W 46 "
Enter a marsh
To a Brook 6 ft. wide cr. S. E
Leave the marsh
To a Y. Oak 15 in. dia. in the line,
Set a post cor. to secs. 24 & 25 from which
a Red Oak 12 in. dia. bears N 56½ W 32 ft.,
& a W. Oak 13 " " " S 24 W 42 "
Land poor soil timber same as last

North On the E. side of sec. 24 T 35 N R 4 W
.42 To a Y. Oak 20 in. dia. in the line,
8.78 " " W. Oak 12 " " " " "
19.50 " " marsh
29.50 Leave the same,
40.00 Set the gr. sec. cor. post from which

T. 35. N. R. 3 W. 2nd, Mon. Ind.

6.25	a Hickory 15 in. dia. bears N 23 1/2° W 44 1/2°
	& a Do. 14 " " " S 36° W 58 " "
50.40	To a Hickory 10 " " in the line,
80.00	Set a post cor. to sec. 13 & 24 from which a Hickory 12 in. dia. bears N 29 1/4° W 76 1/2°
	& a Do. 10 " " " S 14 1/4° W 35 "
	Land 3 rd rated & thinly timbered with W. G. Bl. & Br. Oak Hickory &c
North	On the E. side of sec. 13 T 35 N R 4 W
3.18	To a Br. Oak 10 in. dia. in the line,
6.00	To a prairie cor. S. W & N E,
14.50	Leave same
40.00	Set the 2 nd sec. cor. post from which a G. Oak 22 in. dia. bears N 87 3/4° W 38 1/2°
	& a Do. 20 " " " S 21 3/4° W 90 "
50.50	Entered a marsh
80.00	Set a post cor. to sec. 12 & 13, a G. Oak 20 in. dia. bears N 24 1/2° W 198 1/2°
	& a Do. 22 " " " N 61 3/4° E 147 "
	Land 1 st 50.50 similar to last mile, Last 23.50 is marsh, &c
North	On the E. side of sec. 12 T 35 N R 4 W
1.50	Leave the marsh
40.00	Set the 4 th sec. cor. post from which a Hickory 9 in. dia. bears N 19 3/4° W 24 1/2°
	& a Br. Oak 6 " " " S 70 3/4° W 42 "
80.00	Set a post cor. to sec. 1 & 12 from which a Br. Oak 6 in. dia. bears N 47 1/2° W 98 1/2°
	& a Do. 16 " " " N 61 1/2° W 362 "
	Land good soil, thinly timbered with W. & Br. Oak Hickory &c

122

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

6.26¹¹
 North On the E. side of sec. 1 T. 35 N. R. 3 W.
 14.35 To an Indian trail on, N.E.,
 14.95 To a Hickory 10 in. dia. in line
 16.00 To a mark
 32.00 Leave the same
 40.00 Set the 2nd sec. cor. post from which
 a Hickory 14 in. dia. bears N 15¹/₂° W 18¹/₂ M,
 & a Do. 9 " " " N 6¹/₂° W 17 "
 49.17 To a Brook 8 M. wide on, S.E. marshy
 & a house 2 or 3 chains West
 62.47 To the Town corner,
 Land &c. is same as last mile,
 Var. 7¹/₂ 40' E. - February 5th 1834 -
 Surveyed by - Robert Clark, Dep. Sur.

Subdivisions. (Var. 7¹/₂ 30' E.)

North Between sections 35 & 36
 7.00 Leave marsh & enter timber
 23.60 To a G. Oak 18 in. dia. in the line
 40.00 Set the 1st sec. cor. post from which
 a G. Oak 22 in. dia. bears N 42° W 58¹/₂ M,
 & a Do. 18 " " " N 62° E 33 " dia
 44.00 Leave the timber & enter a marsh
 61.50 To a Creek 40 M. wide deep & slow
 80.00 Set a post cor. to sec. 25. 26. 35 & 36
 a Red Oak 24 in. dia. bears N 6° E 24¹/₂ M
 no other near,
 Land &c mostly dry rolling sandy
 & 3 rats. N¹/₂ marsh under water & rats
 The timber on N¹/₂ G. Oak. Heavy Whortleberry
 & brakes & red root &c

East In Random between sec. 25 & 36
 79.70 To the E. line of sec. 30 M. N. of post,

T. 35 N. R. 3 W. 2nd Mer. Ind^a

Co. L. Land is marsh & mostly under water
& 3rd rate, no description of timber

West Correct the line between sec. 25 & 26
39.85 set the gr. rec. cor. post in water,
79.70 To the section corner,

North Between sections 25 & 26,
2.00 Leave the marsh & Enter timber
5.68 To a W. Oak 15 in. dia. in the line,
30.64 To a G. Oak 20 " " " "
40.00 set the gr. rec. cor. post from which
a G. Oak 30 in. dia. bears S 13 E 11 1/2 Miles,
& a W. Oak 12 " " " N 85 W 71 " "
57.69 To a W. Oak 11 " " in the line,
80.00 set a post cor. to sec. 23, 24, 25 & 26
a Red Oak 30 in. dia. bears S 38 E 60 Miles,
& a Do. 9 " " " N 19 W 152 " "
Land dry level & thin sandy soil &
third rate & the timber is G. Oak & W. Oak,
& the undergrowth is Whortlemoss & Brakes,

East On Randome between sec. 24 & 25
5.00 Enter a marsh
35.00 Leave the Do. & Enter timber
75.00 Leave the timber & a marsh,
79.78 To the E. line of sec. 20 Mr. N. of post.
Land, W. 1/2 is mostly marsh & the
E 1/2 timbered & dry, rolling & thin & sandy
soil all 3rd rate & G & W Oak timber,

West Correct the line between sec. 24 & 25
11.33 To a G. Oak 18 in. dia. in the line,
39.89 set the gr. rec. cor. post from which

124

T. 35 N. R. 3 W. 2nd. Sec. Ind.^a

6. Le. a Y. Oak 8 in. dia. bears East 48th. dist
 & a Red Oak 6. " " S 73 W 22 " "
 79.78 To the sections corner,

North Between sections 23 & 24.

12.02 To a Y. Oak 22 in. dia. in the line
 39.00 Enter a mark
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 24 in. dia. bears N 46 E 24th M.
 another mark,
 55.00 Leave the mark
 80.00 Set a post cor. to sec. 13. 14. 23 & 24
 a Y. Oak 30 in. dia. bears N 46 W 30th M. dist
 Land 2¹/₂ dry level sandy & 3rd rate
 N¹/₂ 15 chs. mark the other dry no.
 timber 3rd rate & the timber on it is
 Y. Oak, W. Oak & Hickory, white & black
 & some red root. January 3rd 1834. -

East On Random between sections 13 & 24
 35.00 Enter timbered land cor. NE & SW
 78.45 To the E. line of sec. 5 to M. S. of post,
 Land 35 chs. W. is mark & 5th dry
 & third rate & Y. Oak & Hickory &
 the mid. 2th, is Whortleberry & Red root &c.

West Correct the line between sec. 13 & 24
 29.85 W. Oak 18 in. dia. S. 89th 32 W.
 38.45 Set the gr. sec. cor. post from which
 a Y. Oak 24 in. dia. bears N 12 W 48th M. dist.
 & a Y. Oak 22 " " N 62 E 69 " "
 78.45 To the sections corner,

North Between sections 13 & 14

T. 35 N. R. 3 W. 2nd, New, Ind.

6.26	Enter timber
5.00	
15.81	To a W. Oak 10 in. dia. in the line,
26.54	" " G. Oak 24 " " " "
40.00	Set the gr. pers. cor. post from which a G. Oak 24 in. dia., bears N 82° W 57 1/2 lbs., & a Do. 22 " " " N 18° E 68 " dia.,
46.75	To a W. Oak 18 " " in the line,
57.30	" " G. Oak 24 " " " "
80.00	Set a post cor. to sec. 11, 12, 13 & 14 a G. Oak 18 in. dia., bears S 3° E 5.04 lbs., & a R. Oak 20 " " " S 32° W 3.35 " dia., Land is dry level sandy & 2 nd rate & the timber is thick & heavy. & W. Oak Red root,

East	On Random between sections 12 & 13,
45.00	Enter a marsh cor. S. E. & N. W.,
78.58	To the E. line of sec. 12 1/2 lbs. S. of post, Land on W. 1/2 dry thin & sandy & the soil 3 rd rate, & Oak & W. Oak, & und. 9 th the whittle Red root - E. is mostly marsh 3 rd rate

West	Correct the line between sec. 12 & 13. (S 89 1/2° W)
38.58	Set the gr. pers. cor. post from which a G. Oak 24 in. dia., bears S 84 1/2° W 3.5 lbs., & a W. Oak 18 " " " N 92 1/4° E 2.5 "
44.64	To a R. Oak 18 " " in the line,
60.07	" " Do. 24 " " " "
78.58	" the section corner,

North	Between sections 11 & 12,
10.00	Enter a marsh
40.00	Set gr. pers. cor. post in water, no bearings - nor mound
56.57	To a Red Oak 20 in. dia. in the line

126

T. 35 N. R. 3 W. 2nd. New. Ind.^a

6. L.
80.00 Set a post cor. to sec. 1, 2, 11 & 12
post in marsh & water, no bearings
Land in marsh 3rd rate, all marsh

East On Random between sec. 1 & 12
8.00 Leave marsh & enter timber,
78.67 To the E. line of sec. 60 ths. S. of post
Land 8 hrs. W. is marsh. Rem. is
dry level & sec. 1 rate & the timber is
B. O. & W. Oak, M. G. Hazel & Red root,

West Connect the line between sec. 1 & 12. (S 89° 35' W.)
38.67 Set the gr. sec. cor. post from which
a B. Oak 16 in. dia. bears N 84° W 84 ths.
& a B. Oak 12 " " " N 39½° W 69 "
40.93 To a B. Oak 14 " " in the line,
56.42 " " Do 13 " " " " "
68.76 " " 12 Oak 14 " " in " "
78.67 To the sections corner,

North Between sections 1 & 2,
12.50 Leave the marsh
16.00 Enter timber
22.77 To a Y. Oak 18 in. dia. in the line,
28.55 " " Y. Oak 22 " " " " "
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears South 80 ths. dia.
& a B. Oak 7 " " " N E 65 " "
49.65 To a Hickory 9 " " in the line,
66.63 To the N. boundary, 263 ths. E. of post
where set a post cor. to sec. 1 & 2,
a Y. Oak 16 in. dia. bears N 47° E 68 ths. dia.,
& a Do. 20 " " " N 44° W 6 " "
Land is mostly dry level & sec. 1 rate,

T. 35 N. R. 3 W. 2nd. Mon, Ind.^a

6. L. The timber is scattering & short 1/2 oak
W. Oak & Hickory hakes & Red root ^{1/2} ^{1/2}

North Between sections 34 & 35
16.97 To a W. Oak 14 in. dia. in the line
38.21 " " Y. Oak 15 " " " "
40.00 Set the gr. recs. cor. post from which
a Hickory 3 in. dia. bears S 71 W 54 1/2 in. dia.,
& a W. Oak 2, " " " N 33 E 58 " "
56.76 To a Red Oak 34 in. dia. in the line,
75.00 Leave the timber & Enter marsh
80.00 Set a post cor. to sec. 26, 27, 34 & 35,
a Red Oak 12 in. dia. bears N 35 E 46 1/2 in.,
no other near
Land nearly all dry level poor sandy
3rd rate & the timber is 1/2 W. K. Oak & Hickory
Red root & hakes Mud, & the, —

East On Random between sec. 26 & 35
65.00 To a creek 50 yds. wide en. S. E. deep
79.69 To the E. line of sec. 17 1/2 yds. N. of post,
Land is all marsh & 3rd rate & the
water grass & willows cover it,

West Correct the line between sec. 26 & 35
39.83 1/2 Set the gr. recs. cor. post in water.
79.69 To the sections corner,

North Between sections 26 & 27
22.50 To a creek 35 yds. wide en. S. E. deep
40.00 Set the gr. recs. cor. post from which
a Red Oak 15 in. dia. bears N 72 E 23 1/2 in.,
no other
44.00 Leave marsh & Enter timber,

128

T. 35 N. R. 3 W. 2nd. New, Ind^a.

6.00
80.00 Set a post cor. to sec. 22, 23, 26 & 27,
a W. Oak 6 in dia. bears N 43 W 31th dist.
to Do. 3. " " " N 85 E 44 " "
Land S. & marsh & N¹/₂ dry level poor
sandy & 3rd rate & the timber on N¹/₂
is scattering & short. Y. W Oak & Red & Red oak,

East On Random between sec. 23 & 26
20.00 Leave timber & Enter marsh
58.50 Leave marsh & Enter timber
79.63 To the E. line of sec. 4th dist. of post
Land W¹/₂ is poor dry, scatt. Y. W & Y
Oak & small - 3rd rate - E mostly marsh
Y Oak timber E. end 3rd rate land

West Correct the line between sec. 23 & 26
39.81¹/₂ Set the gr. sec. cor. post from which
no bearings. being in water,
79.63 To the section corner,

North Between sections 22 & 23,
15.28 To a W. Oak 14 in dia. in the line,
25.00 Leave timber & Enter marsh
40.00 Set the gr. sec. cor. post in marsh & Enter
55.00 Leave marsh & Enter timber
80.00 Set a post cor. to sec. 14, 15, 22 & 23,
a Y. Oak 22 in dia. bears N 85 E 83th dist.
to Do. 24 " " " N 44 E 119 "
Land mostly marsh & 3rd rate & the
timber at S. & N. end. Y Oak & W Oak,

East On Random between sec. 14 & 23
79.60 To the E. line of sec. 9th dist. of post
Land dry level W¹/₂ 3rd rate E¹/₂ 2nd rate

T. 35 N. R. 3 W. 2nd Mer. Ind.

Co. L. W. $\frac{1}{2}$ is thick & heavy G. Oak & W. Oak
E $\frac{1}{2}$ B. Oak W. Oak G. Oak & Hickory &c.

West Correct the line between sec. 14 & 23
28.52 To a W. Oak 12 in. dia. in the line,
39.80 Set the q. recs. cor. post from which
a W. Oak 12 in. dia. bears N 53 $\frac{1}{2}$ E 50. M.,
La Do. 10 " " " S 36 W 37 "
60.15 To a W. Oak 9 " " in the line,
65.38 " " G. Oak 40 " " " " "
79.60 To the section's corner,

North Between sections 14 & 15
8.94 To a G. Oak 22 in. dia. in the line,
12.07 Leave the timber & enter a marsh
64.95 To a Red Oak 12 in. dia. in the line,
75.00 Enter timber. land
80.00 Set a post cor. to sec. 10, 11, 14 & 15
a Hickory 14 in. dia. bears South 14 M.,
La W. Oak 15 " " " N 46 $\frac{1}{2}$ E 98 "
Land is nearly all marsh & 3rd rate

East On Random between sec. 11 & 14
25.00 Leave open timber land
79.74 To the Co. line of sec. at post
Land W $\frac{1}{2}$ dry & 2nd rate heavy Oak,
timber, scattering E $\frac{1}{2}$ level & nearly dry
enough for cultivation 2nd rate & no timber

West Correct the line between sec. 11 & 14
39.87 Set the q. recs. cor. post from which
no bearings but raise a mound
79.74 To the section's corner,

T. 35 N. R. 3 W. 2nd Mer. Ind.^a 130

Circle

North Between sections 10 & 11

- 6.92 To a Hickory 16 in. diam. in the line,
 10.33 " " Do, 18 " " " " "
 18.90 Leave timber & Enter a field,
 40.00 Set a q. sec. cor. post & Raise a mound
 45.00 Leave a field, (July 5.)
 80.00 Set a post cor. to sec. 2 & 3. 10 & 11
 Land level & dry & first rate prairie
 scattering timber of Hickory & Br. Oak,
 on S. end - For S. end Brakes & Hazel etc.

East On Plandon between sec. 2 & 11

- 48.00 Enter wet ground
 79.67 To the E. line of sec. 12 1/2 m. E. of post
 Land W^{1/2} is dry prairie & 1st rate land
 & few scattering Br. Oak bushes,
 Hazel redroot brakes & milkweed & the
 E^{1/2} is wet, 3rd rate scattering timber
 of Hickory & 3, Oak etc.

West Corner the line between sec. 2 & 11

- 39.83 Set the q. sec. cor. post from which
 a Hickory 16 in. diam. bears N E 49 3/4 m. dist,
 S. & Br. Oak 5 " " " N 83 W 43 5/8 " "
 79.67 To the section corner,

North Between sections 2 & 3,

- 40.00 Set a q. sec. cor. post & Raise mound
 66.35 To the N. boundary 288 m. E. of post,
 Set post & Raise mound. on sec. 2 & 3,
 Land dry prairie & first rate, growth
 Hazel, brakes & redroot etc.

East On N. side of sec. 2. Line of Mich. R. land

T. 35 N. R. 3 W. 2nd Mer. Ind.

Co. L,
79.70 To the corner of sec. 142,
Land is mostly prairie 1st rate
& scattering B. Oak on E. part,
West Correct back on N. boundary of sec 2
39.85 Set the gr. sec. cor. post & main mound
79.70 To sec. corner,

North Between sections 33 & 34
40.00 Set the gr. sec. cor. post from wh,
a L. Oak 12 in. dia. bears 189° E 58' N,
& a W. Oak 9 " " " 51° W 67 " N,
69.00 To a Red Oak 12 in. dia. in the line,
80.00 Set a post cor. to sec. 27, 28, 33 & 34
a Red Oak 28 in. dia. bears 135° W 29' 30",
Land level dry thin, & sandy, soil
third rate & the timber is G. W. Oak
Hickory red root & Brakes, —

East On Random between sec. 27 & 34
12.50 Entered a marsh
43.50 Leave the marsh & enter timber
65.00 Leave the timber & a marsh
79.69 To the E. line of sec. 5 N. cor. of post
Land level & mostly marsh & thin
soil & 3rd rate & the timber is Oak scat-
tering short & —

West Correct the line between sec. 27 & 34
35.89 To a Red Oak 30 in. dia. in the line
39.84 1/2 Set the gr. sec. cor. post from wh,
a Red Oak 24 in. dia. bears 184° E 29' 8" N,
no other tree near,
79.69 To the section corner,

T. 35 N. R. 3 W. 2nd, Nov, Ind.

132

Q. & L.
North Between sections 27 & 28,
23.00 Enter timbered land
28.00 To a Y. Oak 17 in dia, in the line,
40.00 Set the gr. sur. cor. post from which
a Y. Oak 14 in dia, bears South 93th,
& a Do. 20 " " " N 53th W 33 "
57.48 To a W. Oak 8 " " in the line,
80.00 Set a post cor. to sec. 21, 22, 27 & 28,
a Y. Oak 16 in dia, bears S 79th W 80th dia,
& a W. Oak 15 " " " N 62th E 44 " "
Land level dry thin sandy, soil 3rd rate
& the timber is Y & W. Oak & the mud, etc.,
is red root whetting brakes & willow bushes

East On Random between sections 22 & 27
12.50 Leave the timber & enter marsh
15.92 To a Creek 29th m. wide on S. E. brick
22.50 Leave marsh & enter timber
79.66 To the E line of sec. at the post
Land a little rolling & chains of marks
on the creek Run. dry & thin soil
3rd rate & the timber is Y. & W. Oak
& the mud etc red root & brakes in

West Connect the line between sec. 22 & 27
29.79 To a W. Oak 18 in dia, in the line,
33.74 " " Y. Oak 24 " " " " "
39.83 Set the gr. sur. cor. post from which
a W. Oak 9 in dia, bears N 81th E 20th dia,
& a Do. 20 " " " S 7th W 66 " "
79.76 To the sec. cor. (overrun!)

North Between sections 21 & 22
10.50 Leave the timber & enter marsh

T. 35 N. R. 3 W. 2nd. New Ind.

Ca. 6,
 18.18 To a creek 28 lks. wide on S. E. bank
 40.00 set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears N 60 E 10 lks. dist,
 & a Do. 10 " " " S 83 W 34 " "
 49.00 To a W. Oak 12 in. dia. in the line,
 55.54 To a W. Oak 12 " " " " "
 80.00 set a post cor. to sec. 15 & 22,
 a Br. Oak 10 in. dia. bears S 83 W 75 lks.,
 & a Do. 12 " " " N 83 E 61.
 Land S¹/₂ is mostly marsh & 3rd rate
 & N¹/₂ level & dry, 2nd rate. The timber
 is B. Oak & Oak, White red root brakes &
 wild Indigo. July 7th 1834 —

East On Random between sections 15 & 22
 59.00 Leave timber & Enter a marsh
 79.62 To the E. line of sec. 8 lks. S. of post.
 Land 59 chs. W. end dry level sandy
 soil 2nd rate & the timber is Br. Oak
 & W. Oak Hickory, scattering short & the
 land, etc. is braky Indigo & few grass &c.

West Correct the line between sections 15 & 22
 39.81 set the gr. sec. cor. post from which
 a B. Oak 14 in. dia. bears S 79 E 34 lks. dist,
 & a Do. 11 " " " N 49 W 58 " "
 43.55 To a Hickory 18 in. dia. in the line,
 57.24 " " B. Oak 10 " " " " "
 56.42 " " Hickory 12 " " " " "
 79.62 To the sections corner.

North Between sections 15 & 16
 40.00 Set the gr. sec. cor. post in field
 a Br. Oak 15 in. dia. bears S 13 W 84 lks. dist,

T. 35 N. R. 3 W. 2nd Mer. Ind.?

134

C. L.
80.00 Enter a dry prairie. no other bearing
Set a post cor. to Secs. 9. 10. 15 & 16,
where raise a mound,
Land level dry & 1st rate soil & the
S¹/₂ is timbered with Br. Oak Hickory
& c. scattering. & the N¹/₂ smooth prairie

East On Random between Secs. 10 & 15
18.93 Leave the field
19.00 Enter timber
60.00 Leave timber & enter a marsh
70.00 Leave the marsh & " the timber again
79.69 To the E. line of Sec. 10 1/2 m. S. of post,
Land S¹/₂ dry & 1st rate & E. 1/2 of land
is dry marsh 2nd rate & the timber is Br. Oak
W. Oak & Hickory scattering & short braky
red root & some willows on E. side,

West Correct the line between Secs. 10 & 15
39.84¹/₂ Set the gr. sec. cor. post from which
a B. Oak 5 in. dia. bears S 57 E 65 1/2 m. Dist.
& a No. 3 " " " N 69 W 32 " "
79.69 To the section corner,

North Between sections 9 & 10
11.00 Leave field,
40.00 Set the gr. sec. cor. in prairie -
where raise a mound - Tit. E. 10 1/2 m. dist.
80.00 Set a post cor. to Secs. 3. 4. 9 & 10 from which
no bearings - raise mound - Tit. South 10 1/2 m.
Land dry & prairie 1st rate & the
growth is milk weed prairie grass &c

East On Random between Secs. 3 & 10

T. 35 N. R. 3 W. 2nd Mer. Ind.

C. L.
 19.50 Entered a marsh
 49.00 Leave the Do,
 79.70 To the E. line of sec. 91 1/2 hrs. N. of post
 Land W^{1/2} is considerable of a marsh
 3rd rate & E^{1/2} same as last mile marsh
 rolling & 2nd rate brakes. milk weed &c,

West Correct the line between sec. 3 & 10
 39.85 Set the 2nd sec. cor. post in marsh
 no mound. being too wet.
 79.70 To the section corner,

North Between sections 3 & 4
 40.00 Set the gr. sec. cor. post & Rain mound
 66.10 To the N. boundary, 315 hrs. E. of post
 Land dry prairie a little rolling &
 1st rate, covered with resin weed, milk weed
 red root & prairie grass &c

North Between sections 32 & 33
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 14 in dia. bears N 1/4 W 180 hrs,
 no other tree given.
 41.00 Leave marsh & Enter timber
 53.16 To a Y. Oak 15 in dia. in the line
 53.62 " " W. Oak 12 " " " " "
 58.10 " " Y. Oak 18 " " " " "
 70.79 " " W. Oak 10 " " " " "
 66.73 " " Y. Oak 18 " " " " "
 80.00 Set a post cor. to sec. 28, 29, 32 & 33
 a Y. Oak 22 in dia. bears N 30 1/2 W 52 1/2 hrs,
 & Do. 18 " " " S 53 E 70 "
 Land S^{1/2} is all dry marsh N^{1/2} dry
 level sandy thin & third rate soil

136

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

C. L. & the timber is Y Oak & W. Oak Hickory,
brakes & Red root &c

East On Random between sec. 28 & 32
79.76 To the E. line of sec. 4 th. S. of post
Land dry sandy soil & 3rd rate & the
timber is Y. Oak W Oak & B. Oak, Hickory
Mud. 9th, brakes & Red root &c

West Correct the line between sec. 28 & 33
11.64 To a Y. Oak 18 in. dia. in the line,
39.88 Set the gr. sur. cor. post from which
a W. Oak 30 in. dia. bears S 35 E 34 ths,
+ a Hickory 12 " " " N 53 W 34 "
70.04 To a Y. Oak 12 " " in the line
78.88 " " Do. 14 " " " " "
79.76 " the section corner.

North Between sections 28 & 29
9.04 To a Y. Oak 18 in. dia. in the line,
13.00 Leave the timber & Ent. marsh
40.00 Set the gr. sur. cor. post & leave marsh
a Y. Oak 24 in. dia. bears North 82 1/2 ths,
49.36 To a Hickory 10 " " in the line,
62.47 " " B. Oak 8 " " " " "
78.00 Enter a field & dry prairie
80.00 Set a post cor. to sec. 20. 21/2 28 & 29
a Cherry 28 in. dia. bears N 72 W 2.02 ths,
+ a dry Red Oak 20 in. dia. " S 40 W 82 " 9th
Land 1/2 is nearly all marsh & under
water 3 ft. N 1/2 dry well & rich 1st rate
& the timber, B. Oak Hickory & Cherry,
Brakes-red root indigo &c

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

E. L.

East On Random between sec. 21 & 28

24.50 Leave the field

28.00 Enter timbered land

79.74 To the E. line of sec. 4 Mer. N. of Spk
Land W $\frac{1}{2}$ is prairie & B. Oak canopy
level dry & rich soil, 1st rate, E $\frac{1}{2}$
level dry 2nd rate, B. Oak Hickory W. Oak
A. Oak, brakes red root &c

West Correct the line between sec. 21 & 28

29.82 To a B. Oak 12 in. dia. in the line,

35.04 " " Do. 7 " " " " "

39.87 Set the gr. sec. cor. post from which
a B. Oak 5 in. dia. bears S 41 E 21 in. dia.,
& a Do. 5 " " " N 2 W 17 " "

79.74 To the sections corner,

North Between Sections 20 & 21

2.16 To a corn field

30.00 Leave prairie & Enter timber

40.00 Set the gr. sec. cor. post from which
a Red Oak 18 in. dia. bears S 19 E 26 in. dia.,
& a B. Oak 18 " " " N 16 W 31 " "

51.78 To a B. Oak 20 " " in the line,

57.42 " " B. Oak 24 " " " " "

76.41 " " B. Oak 12 " " " " "

80.00 Set post cor. to sec. 16, 17, 20 & 21 -

a Br. Oak 18 in. dia. bears S 87 W 13 in. dia.,
& a Do. 11 " " " N 62 E 48 " "

Land 30 chs. S $\frac{1}{2}$ prairie & all dry
level wet & 1st rate & the timber
is B. Oak, W. Oak, Spanish Oak Cherry
Mud, etc. brakes & red root, very thick & high,

138

T. 35 N. R. 3 W. 2nd New Ind^a.

C. L.

East On Random between Secs. 16 & 21

27.00 Descend a hill 30 ft. & enter a marsh

29.25 To a creek 25 lbs. wide on S. E. bank,

30.50 Leave the marsh

79.75 To the E. line of sec. 11 lbs. drop post

Land rolling & separate & the timber

is Br. Oak & W. Oak Hickory hakes & red root,

West Correct the line between Sec. 16 & 21

39.87 $\frac{1}{2}$ Set the gr. sec. cor. post from which

a G. Oak 22 in. dia. bears N 47 $\frac{1}{2}$ W 24 lbs. dist,

& a Do. 20 " " " N 46 E 31 " "

41.25 To a G. Oak 10 in. dia. in the line,

52.63 " " Hickory 12 " " " " "

79.75 To the sections corner

North Between sections 16 & 17

12.72 To a G. Oak 22 in. dia. in the line,

28.50 Entered a marsh

35.95 To a creek 30 lbs. wide on S. E. bank,

40.00 Set the gr. sec. cor. post from which

a G. Oak 22 in. dia. bears N 37 E 29 lbs. dist

& a W. Oak 20 " " " N 15 W 68 " "

45.08 To a W. Oak 12 " " in the line,

75.00 Leave the marsh

80.00 Set a post cor. to Sec. 8, 9, 16 & 17

a W. Oak 14 in. dia. bears North 23 lbs.

& a Do. 22 " " " S 10 W 21 " dist,

Land $1\frac{1}{2}$ a little rolling mostly dry
separate, N $\frac{1}{2}$ marsh 3. rate & the timber,

on it is Br. Oak W & Y Oak Hickory
Mid, etc., leaves red root,

East On Random between sections 9 & 10

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

to L,	
22.50	Enter prairie & field,
41.00	Leave a field
71.14	Enter a field
79.81	To the E. line of sec. 25 th N. S. of post, Land a little rolling dry rich & fertile soil & the timber is scattering at W. end, W. Oak & Br. Oak, Hazel, brakes, Red root,
Next	Correct the line between sec. 9 & 16
39.90 $\frac{1}{2}$	Set the gr. sec. cor. post & raise mound
79.81	To the sections corner,

North	Between sections 8 & 9
46.62	To a W. Oak 10 in. dia. in the line,
8.24	" " W. Oak 12 " " " "
22.38	To a W. Oak 4 " " " "
40.00	Set a post for 1/4 sec. cor. post from wh. a Br. Oak 6 in. dia. bears N 52 W 17 $\frac{1}{2}$ M., no other tree near.
61.53	To an Aspen 8 in. dia. in the line,
67.80	Enter a grove
72.76	To an Elm 4 in. dia. in the line,
75.00	Leave the grove
80.00	Set a post cor. to sec. 4, 5, 8 & 9, Land rolling & elevated. & the timber on the S. $\frac{1}{2}$ scattering N $\frac{1}{2}$ grove of thick Sugar Lynx, Ash, Oak & Elm, Walnut, Red. Elm, Hazel brakes & Red root & a Hickory 4 in. dia. bears S 79 E 24 M. dia. & a Br. Oak 6 " " " S 79 W 43 " " On the W $\frac{1}{2}$ of S. W. gr. section 9 are 2 large mounds near 10 ft in height, July 9 th . 1834 -

T. 35 N. R. 3 W. 2nd. Mer. Ind.^a

140

C. S.

East On Random between sec. 4 & 9
13.20 Leave grove & Enter field & prairie

33.72 Leave a field,

80.00 To the E. line of sec. 17 hrs. S. of post,
Land is rolling dry prairie & first rate
a little scattering timber on W. end,
thick mud, 9th, Hazel, Gum & Crab apple

West Correct the line between sec. 4 & 9

40.00 Set the gr. sec. cor. post & Rain mound

80.00 To the sections corner,

North Between sections 4 & 5,

16.35 To a W. Oak 22 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a W. Oak 30 in. dia. bears South 76 hrs. dist,
& a B. Oak 5 " " " N 2 1/2 E 149 " "

60.00 To a Lake & set post on margin,
a W. Oak 18 in. dia. bears N 3 E 85 hrs. dist,
& a Do. 14 " " " S 34 W 74 " "

80.00 Lake shallow. Land dry, uneven
sandy thin 3rd rate & the timber is
W. G. Oak & Hickory, & the mud 9th, is
Hazel, braky & Red root, & whortleberry
July 12th 1834

North Between sections 31 & 32,

5.47 To an aspen 10 in. dia. in the line,

10.00 To a Branch 10 hrs. wide on. S. E.,

39.00 Leave the mark & Enter timber

40.00 Set the gr. sec. cor. post from which
a G. Oak 20 in. dia. bears S 79 W 38 hrs,
& a W. Oak 8 " " " N 26 E 101 "

48.28 To a W. Oak 20 " " in the line,

T. 35 N. R. 3 W. 2nd, Nov. Ind.

Co. L,
62.13 To a W. Oak 9 in. dia. in the line,
80.00 set a post cor. to sec. 29. 30. 31 & 32,
a Y. Oak 14 in. dia. bears S 79 E 38 lbs,
to Hickory 11 " " " S 73 E W 5 " dia,
Land S E mark at $\frac{1}{2}$ dry level &
sandy thin soil 3rd rate & the timber
on the N. $\frac{1}{2}$ is Y. Oak W. Oak Hickory &
whortleberry & Red root. -

East On Random between sec. 29 & 32
39.50 Leave the timber & Enter marsh
63.50 Leave marsh & Enter timber
79.96 To the E. line of sec. 4 lbs. S. of post
Land on W $\frac{1}{2}$ dry level sandy thin
soil & 3rd rate & the E. $\frac{1}{2}$ is 73.21 marsh
dry part same as the W. & the timber,
is Y & W. Oak, Hickory, whortleberry &

West Correct the line between sec. 29 & 32
4.55 To a Y. Oak 15 in. dia. in the line,
39.98 set the q. sec. cor. post from which
a Red Oak 30 in. dia. bears N 50 W 25 lbs,
& no other near,
50.91 To a Y. Oak 12 in. dia. in the line,
60.71 " " W. Oak 8 " " " " "
71.95 " " Y. Oak 16 " " " " "
79.96 " the section corner,

West On Random between sec. 30 & 31
14.00 Leave timber & Enter marsh
29.81 To a Branch 8 lbs. wide on S. E.,
40.00 set a temporary 1/4 sec. cor. post,
45.00 Leave marsh & Enter timber
81.48 To the E. line of sec. 29 lbs. S. of post,

T. 35 N. R. 3 W. 2nd Mer. Ind.

E. L. Land on E. $\frac{1}{2}$ is part dry & level part marsh & 3^d rate. W. $\frac{1}{2}$ dry level & sandy thin soil & 3^d rate & the timber is Red Oak W. Oak & Hickory all short & the mud, etc., is scrubby whortleberry & Redstart,

East Correct the line between sec. 30 & 31. (189° 35' E.)

a Red Oak 15 in. dia. heavy N 44 E 50 M. dia.
 & a G. Oak 6 " " " N 60 E 81 " "

7.29 To a Red Oak 10 in. dia. in the line,
 15.67 " " " " " " " " " "
 41.48 " " " " " " " " " "
 a R. Oak 4 in. dia. heavy N 68 E 195 M. dia.

81.48 To the section corner,

North Between sections 29 & 30,

11.63 To a G. Oak 10 in. dia. in the line,

20.79 To a G. Oak 16 " " " " "

40.00 Set the gr. sur. cor. post. from which
 a W. Oak 8 in. dia. heavy N 46 W 3 M. dia.
 & a Do. 10 " " " " " " N 66 E 17 " "

57.04 To a W. Oak 4 " " in the line,

65.32 " " W. Oak 12 " " " " "

74.00 Leave the timber & Enter a marsh

80.00 Set a post cor. to sec. 19, 20, 29 & 30,

in marsh, water 2 ft. deep &
 a W. Oak 20 in. dia. heavy N $\frac{1}{2}$ E 825 M. dia.
 & no other near,

Land is mostly level dry sandy thin soil & 3^d rate & the timber is G. Oak W. Oak & mud, etc., whortleberry brakes &

East On Random between sections 20 & 29

36.00 To a pond

42.00 Leave the do. —

T. 35 N. R. 3 W. 2nd. Mon. Rid^a

6.41	To the E. line of sec. 13 th. N. of post
74.96	Land on the W. & is mostly all marsh E & dry land rich soil & 1 st rate & the timber is B. & W. Oak Hickory cherry Y. Oak &c. mu. 2 nd braky Hazel briars, thick.
West	Correct the line between sec. 20 & 29
9.34	To a B. Oak 18 in. dia. in the line,
12.60	To a Y. Oak 24 " " " " "
30.87	To a Hickory 22 " " " " "
39.98	Set the gr. sec. cor. post in pond a Y. Oak 14 in. dia. bear N 89 E 500 th. dia.
47.73	To a Hickory 12 in. dia. in the line,
50.40	" a Do. 14 " " " " "
79.96	" the sections cor.
West	On Random between section 19 & 30
12.50	Leave the marsh & enter timber
36.50	Leave the timber & a marsh
50.00	Leave, a marsh & a timber.
81.00	To the E. line of sec. 50 th. N. of post, Land & marsh — on both ends, all 3 rd rate & the timber is Y. Oak & W. Oak Hickory & the N. G. Red root & makes it,
West	Correct the line between sec. 19 & 30. (N 89 E.)
	a W. Oak 10 in. dia. bear S 40 E. 36 th. dia.,
	a Do. 12 " " " N 52 E 22 " "
8.32	To a Y. Oak 8 " " in the line,
41.00	Set the gr. sec. cor. post from which a Y. Oak 12 in. dia. bear N 73 E 330 th. dia.,
53.50	To a Y. Oak 22 " " in the line,
58.58	" a Do. 20 " " " " "
81.00	To the section corner,

144

T. 35 N. R. 3 W. 2nd New. Ind.^a

Co. L.
North

Between sections 19 & 20,

40.00 Set the gr. sec. cor. post in marsh
a G. Oak 18 in diam. bears N 11 E 37 1/2 M.

42.00 Leave the marsh & Enter timber

49.00 To a G. Oak 14 in diam. in the line,

55.54 " " Hickory 20 " " " " "

80.00 Set a post cor. to sec. 17, 18, 19 & 20,

a W. Oak 8 in diam. bears N 44 W 54 M. dist.

to a G. Oak 24 " " " " N 46 E 22 "

Land 1/2 is marsh & 1/2 is dry land
& 1/4 rate & the timber is B. Oak, W. Oak
& Hickory, G. Oak brakes & Paw vines &c

East On Random between sec. 17 & 20

21.00 Leave the timber & Enter prairie

48.10 Enter a field,

61.50 Leave the do,

79.88 To the E. line of sec. 11 M. S. of post,

Land dry land rich & 1/4 rate scattering
B. Oaks, on E & W. ends, M. G. Hazel brakes thick
wheat, oats & corn, -

West Correct the line between sec. 17 & 20

39.94 Set the gr. sec. cor. post. in prairie
where raise a mound,

79.88 To the section corner,

nearly due S - from 1/4 sec. cor post in sec.
17 a cluster of small artificial mounds
July 10th 1834. -

West On Random between sec. 18 & 19

80.14 To the W. line of sec. 48 M. S. of
post, Land land dry & 1/4 rate
& the timber is Buck Oak Hickory &c

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

Co. L.

Mud. Growth brakes redroot indigo & a
great variety of other weeds grass &c

East Correct the line between Secs. 18 & 19
B. Oak 12 in dia. bears N 63 E 57 lks. dist. (S. 88° 40' E.)
do. 9 in dia. bears S 55 E 73 lks. dist. —
32.61 To a W. Oak 4 in dia. in the line,
40.14 Set the gr. mes. cor. post from which
" B. Oak 10 in dia. bears N 40 E 28 lks.,
" do. 12 " " " N 26 W 31 " dist.,
42.50 To a B. Oak 12 " " in the line,
50.94 To a B. Oak 8 " " " " "
67.81 To a S. Oak 10 " " " " "
80.14 To the survey corner,

North Between sections 17 & 18,
20.62 To a B. Oak 4 in dia. in the line
40.00 Set the gr. mes. cor. post from which
" W. Oak 30 in dia. bears North 465 lks. dist.
" do. 36 " " " N 43 E 286 " "
55.50 To a Large lake & set a post from which
" W. Oak 13 in dia. bears S 16 E 112 lks.,
" do. 20 " " " S 28 W 125 " dist.,
64.00 Over the lake & set a post from which,
" W. Oak 30 in dia. bears N 72 W 49 lks. dist.,
" G. Oak 15 " " " N 49 W 62 " "
69.29 To a G. Oak 28 " " in the line,
80.00 Set a post cor. to sec. 7, 8, 17 & 18,
" W. Oak 7 in dia. bears N 18 W 67 lks. dist.,
" Hickory 12 " " " N 23 W 135 " "
Land is dry land. & first rate & the
the 10 chs. of it is lake Run. 2nd rate
& the timber is B. Oak & W. Oak G. Oak
Brakes & Red root, &c

146

T. 35 N. R. 3 W. 2nd Mer. 14th

6.00
East

On Random between Secs, 8 & 17

- 5.40 Enter a field,
20.30 Leave the do & Enter do
37.80 To a stream of water 9 M. wide cor. S. E.,
75.21 " " Creek 25 M. wide cor. S. E. bridge
79.80 To the E. line of sec. 5 M. S. of post
Land dry rolling soil & 2nd rate & the
timber is heavy W. S. & H. Oak. Hickory
Sapling, h. G. Hazel, Paper birch &c.

West

Correct the line between Secs 8 & 17

- 39.90 Set the q. sec. cor. post from which
a Spruce 14 in. dia. bears N 61 W 33 M. dia.
La W. Oak 24 " " " N 23 W 180 " "
59.65 To a Spanish Oak 24 in. dia. in line,
58.76 " " B. Walnut 20 in. dia. " "
79.80 " the Section corner,

West

On Random between sections 7 & 8

- 79.80 To the Range line 16 M. S. of post,
Land is rolling & spots of marsh
thin soil & third rate & the timber is
G. Oak & W. Oak. Hickory, birch, & the rest,

East

Correct the line between Secs 7 & 8. (187.5.)

- a G. Oak 24 in. dia. bears N 68 E 114 M. dia.
39.80 Set the q. sec. cor. post from which
a W. Oak 12 in. dia. bears N 47 W 18 M. dia.
La Do. 12 " " " N 29 E 75 " "
62.01 To a W. Oak 16 in. dia. in the line
79.80 To the Section corner

North

Between sections 7 & 8,

- 27.64 To a Brook 8 M. wide cor. S. E., bridge

T. 35 N. R. 3 W. 2nd. Nov. Ind. a,

61.26	Set the gr. sec. cor. post from which
40.00	a Weibong 13 in. dia., heavy 263 & 26 lbs,
	& a Do. 10 " " " 182 W 21 " dia,
42.61	To a W. Oak 7 " " in the line
80.00	Set a post cor. to sec. 5, 6, 7 & 8 from which,
	a B. Oak 3 in. dia., heavy 111 & 120 lbs. dia,
	& a Do. 5 " " " 199 & 350 " "
	Land is rolling & soil 2 nd rate & the
	timber is B. W. & Y. Oak & small. &
	scattering. Hazel Yellow willow red rock,
	On E. E. of sec. 8 no good water power
	& same appearance of bed iron ore

East	On Random between sec. 5 & 8,
30.00	descend a hill 30 ft,
31.00	To a Creek 30 Mts. wide en. S. E. bank
34.00	ascend a hill
79.80	To the E. line of sec. 13 Mts. N. of post
	Land is rolling dry & 2 nd rate & the
	timber is scattering W. & Y. Oak B. Oak,
	& the mid. str. Hazel Yellow willow
	Red rock & brakes. In

West	Correct the line between sec. 5 & 8
26.15	To a W. Oak 22 in. dia., in the line
40.00	Set the gr. sec. cor. post from which
	a Y. Oak 20 in. dia., heavy 186 & 82 lbs,
	& a Do. 4 " " " 156 & 31 "
79.80	To the section corner,

West	On Random between sec. 6 & 7
40.50	Enter a marsh
43.05	To a Brook 6 Mts. wide en. S. E. bank
59.50	Leave the marsh

Cornish a

T. 35 N. R. 3 W. 2nd Mer. Ind^a

Co. L.

79.22

To the Range line at post,
Land is rolling 20 chs. is marsh
on bank 2nd rate & the timber is
B. Oak & W. Oak. Hickory &c. Hazel brakes &c.

East

Correct the line between sec. 6 & 7, (887.75)
to a Hickory 18 in. dia. bears N 46 E 48 ch. dist.
to a B. Oak 9 " " " S 32 E 44 " "

14.13

To a B. Oak 24 " " in the line,

39.22

Set the gr. sec. cor. post from which
a Red Oak 3 in. dia. bears S 53 W 121 ch. dist.
to a Do. 10 " " " N 33 E 189 " "

79.22

To the section corner,

North

Between sections 5 & 6,

31.61

To a B. Oak 3 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which
a Y. Oak 20 in. dia. bears N 18 E 210 ch.
to a Do. 24 " " " at 46 E 255 "

65.60

To the N. boundary, of Town, 410 E. of
post. & set post cor. to sec. 5 & 6,

a Y. Oak 20 in. dia. bears S 30 W 249 ch.
to a Hickory 14 " " " N 60 E 240 "
Land rolling dry & sec. rate & the timber,
is B. Oak Hickory & W. Oak scattering &
small willow & Red root & Brakes

July 11th 1834 —

Comm

Co. L.

in sec. 4,

S 26 E

5.00

S 12 W

5.00

S 77 W

5.00

T. 35 N. R. 3 W. 2nd, New Ind.^a

Comm C. L., Meanders Continued,
 N 73° W 15.70 To the E. line of sec. 4 & 5

N 72° W 13.50

In sec. 15

N 72° W 2.89

To town line N. boundary, on
 the W. side of the lake,

Meanders of Long Lake
 Begin at fork on N. side, in
 line between sec. 7 & 18,

N 67° E 8.50

N 85° E 6.00

N 48° E 8.00

N 61° E 8.00

N 58° E 10.50

N 18° E 13.00

N 44° W 3.00

N 70° W 6.50

N 66° W 13.50

N 30° W 9.50

N 39° W 11.50

N 13° W 7.00

N 36° W 10.12

To line between sec. 17 & 18

North 8.50

on line to place of begining. -
 July 13th 1834 -

The quality of the land in
 this township is in the following,
 proportion, about, to wit: 1/4 first
 rate - 1/4 2nd rate & Remained or 1/2
 third rate. in south part considerable
 marsh. - N. part some rolling,
 streams of water & pure springs scarce

T. 35 N. R. 3 W. 2nd Mer. Ind^a,

in marshes water plenty. Soil is generally a sandy loam - a prevailing scarcity of useful timber, owing partly to the great quantity taken off by squatters & appearance of bog, iron ore in some places, ~

I hereby certify that in pursuance of a contract with M. T. Williams, Sur, Genl, of the U. States for the states of Ohio, Indiana & the Terr: of Michigan dated 19th of May 1834 & in strict conformity to the laws of the U. States & the instructions of the said surveyor Genl, I have surveyed & subdivided into sec^s, Township 35 North Range 3 West 2nd Mer, in the state of Indiana: & I do further certify that the foregoing are the true & original field notes of the said survey & subdivision, Executed as agreed

Certified this 12th day of July 1834

William Clark, Dep. Sur,
John Wood, & Nehemiah Cheeseman,
Chainmen, & William Jones - Marker,

~

T. 35 N. R. 3 W. 2nd Mer. Ind.^a

I certify that the foregoing transcript
of field-notes of Township 35 North
Range 3 West. 2nd Mer. Indiana, has
been compared with the original
in this office & found to be correct,

E. S. Haines
Sur. Genl,

Surveyor General's office,
Cincinnati. March 31st 1842.